Tenaris NKK Drill Pipe

3.500” x 15.50 lb/ft NC38 DSTJ Range 2

Tenaris NKK Drill Pipe

3.500” x 15.50 lb/ft NC38 DSTJ Range 2

Tenaris NKK Tubulars



Double Shoulder Tool Joint (DSTJ) Drill Pipe



Specification	
OEM	Tenaris NKK Tubulars
Country of Origin	Japan
Nominal OD	3 1/2” (3.500”) / Premium 3.320”
Nominal ID	2.602” / Premium 2.602”
Steel Grade	S-135
Nominal Weight	15.50#
Nominal Wall Thickness	0.449”
Drift Size	2 7/16” (2.4375”)
Hardbanding	Arnco 300XT
IPC	TK34P
Pin Length	12”
Box Length	15”
Average Weight Per Joint	535 lbs (243 kgs)
Manufacturing Criteria	API Spec 5DP(PSL1) NS-1
Pipe Body Capacities	
Yield Strength	581,000 lbs / Premium 451,120 lbs
API Collapse	30,180 psi / Premium 25,960 psi
Torsional Yield Strength	37,950 lb/ft / Premium 29,060 lb/ft
Pipe Burst Resistance	30,310 psi / Premium 27,710 psi

Tool Joint / Connection Specifications			
Connection	NC38 DSTJ	Compatible With	NC38 GPDS 38
OD	5” (5.000”)	ID	2 9/16” (2.5625”)
Adjusted Weight	16.96 lb/ft	Average Length	31.5 ft
Tensile Yield	703,300 lbs / Premium 703,250 lbs	Torsional Yield	26,940 ft/lbs / 23,390 ft lbs
Minimum Make Up Torque	16,200 lb/ft / Premium 14,000 lb/ft	Maximum Make Up Torque	18,900 lb/ft / Premium 16,400 lb/ft
Fluid Displacement	0.259 gal/ft	Fluid Capacity	0.275 gal/ft
Type of Upset	EUE	Inspection Criteria	NS-2

The information on this specification sheet is provided for illustration purposes only and is taken from information available from the manufacturer and other public sources. Saltire Energy Limited accepts no responsibility or liability for the accuracy of the information provided or for any error, omission or misstatement.

Our Locations

SALTIRE ENERGY HUB

Badentoy Cresent, Portlethen

Aberdeen, AB12 4YD

enquiries@saltire-energy.com

+44 (0)1224 872228

+44 (0)1224 897541

FAR EAST

No.20 Tuas Ave 10, Singapore, 639144

enquiries@saltire-energy.com

+44 (0)1224 872228

+44 (0)1224 897541

MIDDLE EAST

Musaffah, Abu Dhabi, 53161

enquiries@saltire-energy.com

+44 (0)1224 872228

+44 (0)1224 897541

NORWAY

Hamrasletta 5, 4056 Tanager, Stavanger

enquiries@saltire-energy.com

+44 (0)1224 872228

+44 (0)1224 897541

Saltire energy

www.saltire-energy.com